






Vertical~25mm
Product Parts



Vertical~25mm Product Parts



V-016-01A/B

Head track
Any length available
25垂直轨道



V-004-50

Cord drive runner for motor system
电动垂直八爪



V-009-50

Plastic ball chain for motor system
电动垂直拉珠




V-012-03

Retaining washer
Brass
Hex head screw
9#卡圈
Inner Diameter=6
Outer Diameter=10



V-001-50

Motor
电动垂直电机



V-011-18

Length=110
Slat hanger 110mm
Double hole,flexible
For H hook carrier
For 127mm fabric vane
127哈那斯挂片



V-001-07D Height=25

End caps 2#端盖
D type
For control mechanism



V-002-31D

V-002-31C

V-002-31A

V-002-31B



Carrier 31#走珠




V-003-105

Length X=105
Pored connecting sheet
105连片


Vertical ~ 25mm Product Parts




V-016-01A	Thickness=0.8mm	Head track 25垂直方轨道
V-016-01AA	Thickness=0.7mm	25mm opening
V-016-01AB	Thickness=0.9mm	Any length available
V-016-01AC	Thickness=1.0mm	Anodized
V-016-01B	Thickness=0.8mm	Head track 25垂直方轨道
V-016-01BA	Thickness=0.7mm	25mm opening
V-016-01BB	Thickness=0.9mm	Any length available
V-016-01BC	Thickness=1.0mm	Painted white




V-001-01R Plastic 塑芯
V-001-01TR Aluminium 铝芯
Control unit 1#制头(右)
For 25mm head track
Drive-right




V-001-03R Plastic 塑芯
Control unit 3#制头(右)
For 25mm head track
Drive-right




V-001-06R Plastic 塑芯
V-001-06TR Aluminium 铝芯
Control unit 6#制头(右)
For 25mm head track
Drive-right



V-001-08L Plastic 塑芯
V-001-08TL Aluminium 铝芯
Control unit 8#制头(左)
For 25mm head track
Drive-left




V-001-08R Plastic 塑芯
V-001-08TR Aluminium 铝芯
Control unit 8#制头(右)
For 25mm head track
Drive-right



V-001-17R Plastic 塑芯
Control unit 17#制头(右)
For 25mm head track
Drive-right


Vertical~25mm Product Parts



V-016-04AA	Thickness=0.7mm	Head track	25垂直圆轨道
V-016-04A	Thickness=0.8mm	25mm opening	
V-016-04AB	Thickness=0.9mm	Any length available	
V-016-04AC	Thickness=1.0mm	Anodized	


V-016-04BA	Thickness=0.7mm	Head track	25垂直圆轨道
V-016-04B	Thickness=0.8mm	25mm opening	
V-016-04BB	Thickness=0.9mm	Any length available	
V-016-04BC	Thickness=1.0mm	Painted white	

Vertical~33mm Product Parts




V-016-07AA	Thickness=0.7mm	Head track	33垂直方轨道
V-016-07A	Thickness=0.8mm	33mm	
V-016-07AB	Thickness=0.9mm	Any length available	
V-016-07AC	Thickness=1.0mm	Anodized	

V-016-07BA	Thickness=0.7mm	Head track	33垂直方轨道
V-016-07B	Thickness=0.8mm	33mm	
V-016-07BB	Thickness=0.9mm	Any length available	
V-016-07BC	Thickness=1.0mm	Painted white	




V-001-09L Plastic 塑芯

Control unit 9#制头(左)
For 25mm round head track
Drive-left




V-001-09R Plastic 塑芯

Control unit 9#制头(右)
For 25mm round head track
Drive-right




V-001-18L Plastic 塑芯

Control unit 18#制头(左)
For 25mm round head track
Drive-left




V-001-10R Plastic 塑芯

Control unit 10#制头(右)
For 33mm head track
Drive-right




V-001-05R Plastic 塑芯
V-001-05TR Aluminium 铝芯

Control unit 5#制头(右)
For 33mm head track
Drive-right




V-001-04R Plastic 塑芯
V-001-04TR Aluminium 铝芯

Control unit 4#制头(右)
For 33mm head track
Drive-right




V-001-16L Plastic 塑芯

Control unit 16#制头(左)
For 25mm round head track
Drive-right




V-001-16R Plastic 塑芯

Control unit 16#制头(右)
For 25mm round head track
Drive-right





V-001-18R Plastic 塑芯

Control unit 18#制头(右)
For 25mm round head track
Drive-right





V-001-01TR
V-001-04TR
V-001-05TR
V-001-06TR
V-001-08TR
V-001-08TL
V-001-13TR

Vertical~25/33mm
Product Parts



Narrow track parts Product Parts



V-016-06AA
V-016-06AB
V-016-06AC

Thickness=0.8mm
Thickness=0.9mm
Thickness=1.0mm

Head track 窄轨垂直轨道
Narrow
Any length available
Anodized


V-016-06BA
V-016-06BB
V-016-06BC

Thickness=0.8mm
Thickness=0.9mm
Thickness=1.0mm


Head track 窄轨垂直轨道
Narrow
Any length available
Painted white



V-016-03A 3 way
Tilt rod 三芯棒
Any length available



V-001-11L Fastening 快速
Control unit 11#制头(左)
For narrow head track
Drive-left



V-001-11R Fastening 快速
Control unit 11#制头(右)
For narrow head track
Drive-right



V-005-08
Tilt rod support No.8 8#中托
For narrow head track



V-004-09
Cord drive runner No.9 9#八爪
3 parts(includes cord drive runner,
plastic cord grip and screw)



V-004-09A
Cord drive runner No.9 9#八爪(带铁片)
4 parts(includes cord drive runner,
plastic cord grip, metal plate and screw)



V-005-08A
Tilt rod support No.8 8#中托(带磁铁)
With magnet
For narrow head track




V-001-07K
Stopper 固定销
For control mechanism



V-002-17J
HOOK adjust
窄轨转向器连接器



V-003-80
Spacer 80mm 80连片
Plastic
For carrier



V-002-17D 1way
V-002-17C 2way
V-002-17A 3way
V-002-17B 4way
Carrier 17#走珠



V-002-17F 3way
Carrier
White J hook
For narrow profile head track
With plastic spacer
窄轨转向器

Narrow track parts Product Parts



V-011-07

Slat hanger DIY 89mm
Single hole
For H hook carrier
For 89mm fabric vane
89插销上挂片



V-007-02-1D

Weight:32g±2g
Slat weight 89-5底铁
Full plastic
For 89mm fabric vane



V-012-05 Length=10
V-012-06 Length=30
V-012-07 Length=18
V-012-09 Length=50
V-012-13 Length=25
Distance tube 距离管




V-014-04C Plated zinc 镀锌
V-014-04D Painted white 烤漆
Wall bracket 89mm
Thickness=1.8mm
89窄轨蛇形安装架



V-014-05C Plated zinc 镀锌
V-014-05D Painted white 烤漆
Wall bracket 127mm
Thickness=1.8mm
127窄轨蛇形安装架



V-014-10C Plated zinc 镀锌
V-014-10D Painted white 烤漆
Wall bracket 89mm
Thickness=2.0mm
89蛇形安装架



V-009-07

Dense chain 7#拉珠
3.2X4.3mm
Thin cord
Ball diameter=3.2mm
Ball pitch=4.3mm



V-008-02

Bottom chain 89mm 2#底珠
Pitch between two clips=110.5mm
12 beads between two clips
For 89mm slat weight



V-012-02D

nickel plated 镀镍
Lock washer 8#卡圈
Toothed internal
For 3way or 4way Tilt rod
Diameter=11.6



V-014-11C Plated zinc 镀锌
V-014-11D Painted white 烤漆
Wall bracket 127mm
Thickness=2.0mm
127蛇形安装架




V-014-01A Plated zinc 镀锌
V-014-01B Painted white 烤漆
Wall bracket 89mm
Thickness=1.5mm
1#安装架



V-014-02A Plated zinc 镀锌
V-014-02B Painted white 烤漆
Wall bracket 127mm
Thickness=1.5mm
2#安装架



V-013-15 For 3.2 plastic chain
Chain connector
15#珠扣



V-015-20A Plated zinc 镀锌
V-015-20B Painted white 烤漆
Ceiling clip 20#卡簧
Thickness=0.6mm



V-006-04 Weight=60g
Cord weight
With metal
4#手柄



V-001-07W
Wand holder
For Control rod
哈那斯手柄套



V-001-07Z
Wand holder
For Control rod
哈那斯转棒套筒



V-001-10Y
Control rod
Any length available
Aluminum
Hollow
12.8mm铝管

Carrie Product Parts



V-002-04D 1way
V-002-04C 2way
V-002-04A 3way
V-002-04B 4way

Carrier 4#走珠



V-002-08D 1way
V-002-08C 2way
V-002-08A 3way
V-002-08B 4way

Carrier 8#走珠



V-002-11D 1way
V-002-11C 2way
V-002-11A 3way
V-002-11B 4way

Carrier 11#走珠



V-002-26D 1way
V-002-26C 2way
V-002-26A 3way
V-002-26B 4way

Carrier 26#走珠



V-002-28D 1way
V-002-28C 2way
V-002-28A 3way
V-002-28B 4way

Carrier 28#走珠



V-002-30D 1way
V-002-30C 2way
V-002-30A 3way
V-002-30B 4way

Carrier 30#走珠



V-002-15D 1way
V-002-15C 2way
V-002-15A 3way
V-002-15B 4way

Carrier 15#走珠



V-002-16D 1way
V-002-16C 2way
V-002-16A 3way
V-002-16B 4way

Carrier 16#走珠



V-002-17D 1way
V-002-17C 2way
V-002-17A 3way
V-002-17B 4way

Carrier 17#走珠



V-002-31D 1way
V-002-31C 2way
V-002-31A 3way
V-002-31B 4way

Carrier 31#走珠



V-002-32D 1way
V-002-32C 2way
V-002-32A 3way
V-002-32B 4way

Carrier 32#走珠



V-002-33D 1way
V-002-33C 2way
V-002-33A 3way
V-002-33B 4way

Carrier 33#走珠



V-002-22 3way

Carrier 22#走珠



V-002-24D 1way
V-002-24C 2way
V-002-24A 3way
V-002-24B 4way

Carrier 24#走珠




V-002-25A Clear H hook
V-002-25B White H hook

Carrier 25#走珠



V-002-34D 1way
V-002-34C 2way
V-002-34A 3way
V-002-34B 4way




Carrier 34#走珠



Spacer Product Parts



Cord drive runner Product Parts



Tilt rod support Product Parts

Bottom chain Product Parts



V-005-01

Tilt rod support 1#中托
Universal in low and high profile
head track




V-005-02A

Tilt rod support 2#中托(带磁铁)
With magnet
Universal in low and high profile
head track



V-005-02

Tilt rod support 2#中托
Universal in low and high profile
head track




V-005-03A

Tilt rod support 3#中托(带磁铁)
With magnet
Universal in low and high profile
head track



V-005-03

Tilt rod support 3#中托
Universal in low and high profile
head track




V-005-06

Tilt rod support 6#中托
Universal in low and high profile
head track



V-005-07

Tilt rod support 7#中托
Universal in low and high profile
head track




V-005-09

Tilt rod support 9#中托
Universal in low and high profile
head track




V-005-11

Tilt rod support 11#中托
Universal in low and high profile
head track



V-008-01

Bottom chain 127mm 1#底珠
Pitch between two clips=141mm
16 beads between two clips
For 127mm slat weight



V-008-02

Bottom chain 89mm 2#底珠
Pitch between two clips=110.5mm
12 beads between two clips
For 89mm slat weight




V-008-03

Bottom chain 127mm 3#底珠
Pitch between two clips=141.9mm
21 beads between two clips
For 127mm slat weight




V-008-04

Bottom chain 89mm 4#底珠
Pitch between two clips=106.2mm
17 beads between two clips
For 89mm slat weight



V-008-05

Bottom chain 89mm 5#底珠
Pitch between two clips=97.2mm
11 beads between two clips
For 89mm slat weight




V-008-06A

Bottom chain 115mm 6#A底珠
Pitch between two clips=106.3mm
9 beads between two clips
For 100mm slat weight



V-008-06B

Bottom chain 125mm 6#B底珠
Pitch between two clips=122mm
10 beads between two clips
For 100mm slat weight



V-008-07A


Bottom chain 89mm 7#A底珠
Pitch between two clips=106.4mm
7 beads between two clips
For 89mm slat weight



V-008-07B


Bottom chain 89mm 7#B底珠
Pitch between two clips=124.8mm
12 beads between two clips
For 89mm slat weight

Bottom chain Product Parts



V-008-08A

Bottom chain 127mm 8#A底珠
Pitch between two clips=125.2mm
8 beads between two clips
For 127mm slat weight



V-008-08B

Bottom chain 127mm 8#B底珠
Pitch between two clips=145mm
14 beads between two clips
For 127mm slat weight




V-008-09

Bottom chain 89mm 9#底珠
Pitch between two clips=90.2mm
8 beads between two clips
For 89mm slat weight




V-008-10

Bottom chain 127mm 10#底珠
Pitch between two clips=127.5mm
12 beads between two clips
For 127mm slat weight




V-008-11

Bottom chain 127mm 11#底珠
Pitch between two clips=130mm
12 beads between two clips
For 127mm slat weight



V-008-12

Bottom chain 89mm 12#底珠
Pitch between two clips=100mm
9 beads between two clips
For 89mm slat weight




V-008-13

Bottom chain 127mm 13#底珠
Pitch between two clips=140mm
14 beads between two clips
For 127mm slat weight




V-008-14

Bottom chain 89mm 14#底珠
Pitch between two clips=90.8mm
10 beads between two clips
For 89mm slat weight



V-008-15

Bottom chain 115mm 15#底珠
Pitch between two clips=112mm
12 beads between two clips
For 89mm slat weight



V-008-16

Bottom chain 127mm 16#底珠
Pitch between two clips=143.4mm
8 beads between two clips
For 127mm slat weight



V-008-17

Bottom chain 17#底珠
3.2x52mm
Pitch between two clips=51.6mm
3 beads between two clips For PVC



V-008-18

Bottom chain 18#底珠
3.2x59mm
Pitch between two clips=59mm
6 beads between two clips For PVC




V-008-19

Bottom chain 89mm 19#底珠
Pitch between two clips=105.6mm
10 beads between two clips
For 89mm slat weight




V-008-21

Bottom chain 127mm 21#底珠
Pitch between two clips=142.8mm
14 beads between two clips
For 127mm slat weight



V-008-22

Bottom chain 22#底珠
Pitch between two clips=47.5mm
3 beads between two clips
For PVC




V-008-24

Bottom chain 89mm 24#底珠
Pitch between two clips=107.2mm
8 beads between two clips
For 89mm slat weight



V-008-25


Bottom chain 89mm 25#底珠
Pitch between two clips=109.2mm
12 beads between two clips
For 89mm slat weight



V-008-26


Bottom chain 89mm 26#底珠
Pitch between two clips=92mm
9 beads between two clips
For 89mm slat weight

Bottom chain Product Parts




V-008-27

Bottom chain 89mm 27#底珠
Pitch between two clips=90mm
8 beads between two clips
For 89mm slat weight




V-008-28

Bottom chain 89mm 28#底珠
Pitch between two clips=94.2mm
11 beads between two clips
For 89mm slat weight




V-008-30

Bottom chain 89mm 30#底珠
Steel ball
Pitch between two clips=102mm
For 89mm slat weight




V-008-31

Bottom chain 127mm 31#底珠
Steel ball
Pitch between two clips=127mm
For 127mm slat weight




V-008-32

Bottom chain 89mm 32#底珠
Pitch between two clips=96mm
9 beads between two clips
For 89mm slat weight




V-008-33

Bottom chain 127mm 33#底珠
Pitch between two clips=135mm
13 beads between two clips
For 127mm slat weight



V-008-34

Bottom chain 89mm 34#底珠
Pitch between two clips=94.8mm
12 beads between two clips
For 89mm slat weight



V-008-35


Bottom chain 89mm 35#底珠
Pitch between two clips=83mm
6 beads between two clips
For 89mm slat weight



V-008-36


Bottom chain 127mm 36#底珠
Pitch between two clips=118.5mm
9 beads between two clips
For 127mm slat weight

Chain Product Parts




V-009-05

Steel chain 4.5×6钢拉珠
4.5X6mm
Ball diameter=4.5mm
Ball pitch=6mm
Metal chain with nickel




V-009-05B

Steel chain 4.5×6不锈钢拉珠
4.5X6mm
Ball diameter=4.5mm
Ball pitch=6mm
Stainless steel ball chain




**V-009-01A
V-009-01B**

Sparse chain 4.5×12稀拉珠
4.5X12mm
Thick cord
Ball diameter=4.5mm
Ball pitch=12mm




V-009-02

Dense chain 4.5×6粗绳密拉珠
4.5X6mm
Thick cord
Ball diameter=4.5mm
Ball pitch=6mm




V-009-03

Dense chain 4.5×6细绳拉珠
4.5X6mm
Thin cord
Ball diameter=4.5mm
Ball pitch=6mm




V-009-04

Dense chain 4.5×6透明密拉珠
4.5X6mm
Thick cord Color=clear
Ball diameter=4.5mm
Ball pitch=6mm




V-009-06

Dense chain 7.3×10.3大拉珠
7.3X10.3mm
Thick cord Color=clear
Ball diameter=7.3mm
Ball pitch=10.3mm



V-009-07


Dense chain 3.2×4.3拉珠
3.2X4.3mm
Thincord
Ball diameter=3.2mm
Ball pitch=4.3mm



V-009-08


Sparse chain 3.2×8拉珠
3.2X8mm
Thin cord
Ball diameter=3.2mm
Ball pitch=8mm

Chain Product Parts




V-009-09

Sparse chain 3.2×9拉珠
3.2X9mm
Thin cord
Ball diameter=3.2mm
Ball pitch=9mm




V-009-10

Chain rice shape 5.3×13米粒拉珠
Thick cord
Ball diameter=5.3mm
Ball pitch=13mm




V-009-15

Steel chain 3.2×4.3钢拉珠
3.2X4.3mm
Ball diameter=3.2mm
Ball pitch=4.3mm




V-009-16

Steel chain 2.4×3.5钢拉珠
2.4X3.5mm
Ball diameter=2.4mm
Ball pitch=3.5mm




V-009-17

Chain 5.8×115稀拉珠
5.8X115mm
Ball diameter=5.8mm
Ball pitch=115mm




V-009-18

Chain 5.8×94稀拉珠
5.8X94mm
Ball diameter=5.8mm
Ball pitch=94mm




V-009-19

Sparse chain 4.5×11.8拉珠
4.5X11.8mm
Thick cord
Ball diameter=4.5mm
Ball pitch=11.8mm




V-009-20

Chain 4.3×12稀拉珠
4.3X12mm
Thick cord
Ball diameter=4.3mm
Ball pitch=12mm




V-009-21

Chain 4.5×12米粒拉珠
4.5X12mm
Thick cord Rice shape
Ball diameter=4.5mm
Ball pitch=12mm




V-009-22

Chain 4.7×11.8米粒拉珠
4.7X11.8mm
Thick cord Rice shape
Ball diameter=4.7mm
Ball pitch=11.8mm




V-009-23

Sparse chain 4.5×12.2拉珠
4.5X12.2mm
Thick cord
Ball diameter=4.5mm
Ball pitch=12.2mm




V-009-24

Dense chain 3.2×4拉珠
3.2X4.0mm
Thin cord
Ball diameter=3.2mm
Ball pitch=4.0mm




V-009-31

Dense chain 3.8×9拉珠
3.8X9.0mm
Thin cord
Ball diameter=3.8mm
Ball pitch=9.0mm



V-009-32

Dense chain 3.8×9拉珠
3.8X9.0mm
Thin cord
Ball diameter=3.5mm
Ball pitch=9.0mm



V-009-33

Dense chain 3.2×4.3拉珠
3.2X4.2mm
Thincord
Ball diameter=3.2mm
Ball pitch=4.2mm

Chain connector
Product Parts



V-013-01 For 4.5 plastic chain
Chain connector
1#珠扣



V-013-03 For 4.5 plastic chain
Chain connector
3#珠扣



V-013-02 For 4.5 plastic chain
Chain connector
2#珠扣



V-013-04 For 4.5 plastic chain
Chain connector
4#珠扣



V-013-05 For 7.3 plastic chain
Chain connector
5#珠扣



V-013-06 For 7.3 plastic chain
Chain connector
6#珠扣



V-013-07 For 3.2 plastic chain
Chain connector
7#珠扣



V-013-08 For 4.5 plastic chain
Chain connector
8#珠扣



V-013-14 For 4.5 plastic chain
Chain connector
14#珠扣



V-013-15 For 3.2 plastic chain
Chain connector
15#珠扣



V-013-16 For 3.2 plastic chain
Chain connector
16#珠扣



V-013-20 For 3.2 plastic chain
Chain connector
20#珠扣



V-013-09 For 4.5 steel chain
Chain connector
9#珠扣



V-013-10 For 3.2 steel chain
Chain connector
10#珠扣




V-013-11 For 2.4 steel chain
Chain connector
11#珠扣


Cord weight Product Parts



V-006-01 Metal weight=42g
V-006-01A Metal weight=72g
Cord weight
1#手柄



V-006-02 Metal weight=45g
V-006-02A Metal weight=60g
V-006-02B Metal weight=90g
Cord weight
2#手柄




V-006-03 Metal weight=130g
V-006-03A Metal weight=180g
Cord weight
3#手柄



V-006-15 Metal weight=50g
Cord weight
15#手柄



V-006-16 Weight=27.5g
Cord weight
16#手柄



V-006-17 Metal weight=18g
Cord weight
17#手柄



V-006-04 Metal weight=60g
Cord weight
4#手柄



V-006-05 Metal weight=45g
V-006-05A Metal weight=90g
Cord weight
5#手柄



V-006-07 Weight=78g
Cord weight
7#手柄



V-006-19 Metal weight=34g
Cord weight
19#手柄



V-006-20 Weight=26.4g
Cord weight
20#手柄



V-006-22 Metal weight=54g
Cord weight
22#手柄



V-006-08 Metal weight=60g
Cord weight
8#手柄




V-006-11 Metal weight=30g
Cord weight
11#手柄



V-006-14 Metal weight=14g
Cord weight
14#手柄




V-006-24 Metal weight=14g
Cord weight
24#手柄



V-006-26 Metal weight=49g
Cord weight
26#手柄

Slat weight Product Parts



V-007-02-5 Weight=24g±2g

Slat weight 89-1底铁
Full plastic
For 89mm fabric vane



V-007-02-1E Weight=28g±2g

V-007-02-6 Weight=30g±2g

V-007-02-1B Weight=32g±2g

Slat weight 89-2底铁
Full plastic
For 89mm fabric vane



V-007-02-15 Weight=28g±2g

V-007-02-1A Weight=32g±2g

V-007-02-2 Weight=36g±2g


V-007-02-3 Weight=38g±2g

Slat weight 89-3底铁
Full plastic
For 89mm fabric vane



V-007-02-13 Weight:28g±2g

Slat weight 89-11底铁
Full plastic
For 89mm fabric vane



V-007-02-14 Weight:32g±2g

Slat weight 89-12底铁
Full plastic
For 89mm fabric vane



V-007-02-16 Weight:32g±2g

Slat weight 89-12底铁
Full plastic
For 89mm fabric vane



V-007-02-1C Weight=32g±2g

V-007-02-10 Weight=38g±2g

Slat weight 89-4底铁
Full plastic
For 89mm fabric vane




V-007-02-1D Weight:32g±2g

Slat weight 89-5底铁
Full plastic
For 89mm fabric vane



V-007-02-4 Weight=32g±2g

Slat weight 89-6底铁
Full plastic
For 89mm fabric vane



V-007-02-17 Weight:32g±2g

Slat weight 89-13底铁
Full plastic
For 89mm fabric vane




V-007-02-18 Weight:32g±2g

Slat weight 89-14底铁
Full plastic
For 89mm fabric vane




V-007-02-19 Weight:38g±2g

Slat weight 89-15底铁
Full plastic
For 89mm fabric vane



V-007-02-8 Weight:32g±2g

Slat weight 89-8底铁
Full plastic
For 89mm fabric vane



V-007-02-9 Weight:38g±2g

Slat weight 89-9底铁
Full plastic
For 89mm fabric vane



V-007-02-11 Weight:32g±2g

Slat weight 89-10底铁
Full plastic
For 89mm fabric vane




V-007-03-1 Weight:32g±2g

Slat weight 100-1底铁
Full plastic
For 100mm fabric vane



V-007-03-2 Weight:42g±2g

Slat weight 100-2底铁
Full plastic
For 100mm fabric vane



V-007-03-3 Weight:24g±2g


Slat weight 100-3底铁
Full plastic
For 100mm fabric vane

Slat weight Product Parts




V-007-03-5 Weight:36g±2g

Slat weight 100-5底铁
Full plastic
For 100mm fabric vane



V-007-03-6 Weight:33g±2g

Slat weight 100-6底铁
Full plastic
For 100mm fabric vane




V-007-03-7 Weight:42g±2g

Slat weight 100-7底铁
Full plastic
For 100mm fabric vane



V-007-01-2 Weight:40g±2g

Slat weight 127-9底铁
Full plastic
For 127mm fabric vane



V-007-01-3 Weight:40g±2g

Slat weight 127-10底铁
Full plastic
For 127mm fabric vane



V-007-01-4 Weight:46g±2g

Slat weight 127-11底铁
Full plastic
For 127mm fabric vane




V-007-01A Weight:42g±2g

Slat weight 127-1底铁
Full plastic
For 127mm fabric vane




V-007-01B Weight:42g±2g

Slat weight 127-2底铁
Full plastic
For 127mm fabric vane



V-007-01C Weight:42g±2g

Slat weight 127-3底铁
Full plastic
For 127mm fabric vane



V-007-02-4A Anodized
Painted white
Weight=50g±2g

Slat weight 89-13底铁
Plated zinc
Steel 87X50X1.5
For 89mm fabric vane



V-007-02-4C Anodized
Painted white
Weight=72g±2g

Slat weight 127-7底铁
Plated zinc
Steel 125X50X1.5
For 127mm fabric vane




V-007-04-01 Weight:105g±2g

Slat weight 200-1底铁
Plated zinc
Steel 200X35X2



V-007-01D Weight:36g±2g

Slat weight 127-4底铁
Full plastic
For 127mm fabric vane



V-007-01E Weight:40g±2g

Slat weight 127-5底铁
Full plastic
For 127mm fabric vane




V-007-01-1 Weight:42g±2g

Slat weight 127-8底铁
Full plastic
For 127mm fabric vane



V-007-05 Weight:60g±2g

Slat weight 200-2底铁
Full plastic
For 250mm fabric vane



Slat hanger Product Parts



V-011-01 Length=89

Slat hanger 89mm
Double hole,flexible
For H hook carrier
For 89mm fabric vane
89双孔上挂片



V-011-02 Length=89

Slat hanger 89mm
Single hole
For J hook carrier
For 89mm fabric vane
89单孔上挂片



V-011-03 Length=127

Slat hanger 127mm
Double hole,flexible
For H hook carrier
For 127mm fabric vane
127双孔上挂片



V-011-08 White 白色
V-011-08A Transparent 透明

Slat hanger DIY 127mm
Single hole
For H hook carrier
For 127mm fabric vane
127插销上挂片



V-011-09 Length=115

Slat hanger 115mm steel
Single hole
For J hook carrier
For 127mm fabric vane
115铁上挂片



V-011-10 Length=195

Slat hanger 195mm
Single hole
For J hook carrier
For 200mm fabric vane
195单孔上挂片



V-011-04 Length=115

Slat hanger 127mm
Single hole
For J hook carrier
For 115mm fabric vane
127单孔上挂片



V-011-05 Length=100

Slat hanger 89mm
Double hole,flexible
For H hook carrier
For 100mm fabric vane
100双孔上挂片



V-011-06 Length=89

Slat hanger 89mm
single hole
For J hook carrier
For 100mm fabric vane
100单孔上挂片



V-011-14 Length=82

Slat hanger 89mm
Single hole
For J hook carrier
For 89mm fabric vane
14#上挂片



V-011-15 Length=89

Slat hanger 89mm
Single hole
For J hook carrier
For 89mm fabric vane
15#上挂片



V-011-16 Length=89

Slat hanger 89mm
Double hole
H hook
For 89mm fabric vane
16#上挂片



V-011-07 White 白色
V-011-0A Transparent 透明

Slat hanger 89mm
Single hole
For H hook carrier
For 89mm fabric vane
89插销上挂片




V-011-07B Length=89

Slat hanger 89mm
Single hole
For J hook carrier
For 89mm fabric vane
89 B型插销上挂片




V-011-07Z Length=89
Diameter=3.8mm

Bolt 89mm
For slat hanger DIY 89mm
89粗插销



V-011-18 Length=110

Slat hanger 110mm
Double hole,flexible
For H hook carrier
For 127mm fabric vane
127哈那斯挂片



V-011-19 Length=95

Slat hanger 95mm
Double hole,flexible
For H hook carrier
For 89mm fabric vane
89哈那斯挂片

Stop ring/Lock washer Product Parts



V-012-01A

Stop ring 1#介子
Plastic
For 3way or 4way Tilt rod



V-012-01B

Stop ring 2#介子
Plastic
For 3way or 4way Tilt rod



V-012-01C

Stop ring 3#介子
Plastic
For 3way or 4way Tilt rod



V-012-02A3 black

Lock washer 5#卡圈
Toothed internal
For 3way or 4way Tilt rod
Diameter=14.5



V-012-02A4 black

Lock washer 6#卡圈
Toothed internal
For 3way or 4way Tilt rod
Diameter=12.6



V-012-02A5 nickel plated 镀镍

Lock washer 7#卡圈
Toothed internal
For 3way or 4way Tilt rod
Diameter=11.6



V-012-01D

Stop ring 4#介子
Plastic
For 3way or 4way Tilt rod



V-012-01F black

Stop ring 5#介子
For 3way or 4way Tilt rod



V-012-02A1 black

V-012-02B1 nickel plated 镀镍

Lock washer 1#卡圈
Toothed internal
For 3way or 4way Tilt rod
Diameter=12.6



V-012-02D nickel plated 镀镍

Lock washer 8#卡圈
Toothed internal
For 3way or 4way Tilt rod
Diameter=11.6



V-012-03

Inner Diameter=6
Outer Diameter=10
Retaining washer 9#卡圈
Brass
Hex head screw



V-012-05 Length=10

V-012-06 Length=30

V-012-07 Length=18

V-012-09 Length=50

V-012-13 Length=25

Distance tube 距离管
Plastic



V-012-02A2 black

V-012-02B2 nickel plated 镀镍
Lock washer 2#卡圈
Toothed internal
For 3way or 4way Tilt rod
Diameter=11.6



V-012-03B

Lock washer 3#卡圈
For 3way or 4way Tilt rod
Inner diameter=6
Plastic



V-012-02B3 nickel plated 镀镍

Lock washer 4#卡圈
Toothed internal
For 3way or 4way Tilt rod
Diameter=15.4



V-012-04C plated zinc 镀锌

Stopper R型销
For retaining washer



V-012-04A Diameter=2.3


Rod pin 1#固定销
Spring pin black
Without slot



V-012-04B Diameter=2.3


Rod pin 2#固定销
Spring pin slotted black
With slot

Track connector Product Parts



	V-016-01A	Thickness=0.8mm	Head track 25垂帘方轨道
	V-016-01AA	Thickness=0.7mm	25mm opening
	V-016-01AB	Thickness=0.9mm	Any length available
	V-016-01AC	Thickness=1.0mm	Anodized
	V-016-01B	Thickness=0.8mm	Head track 25垂帘方轨道
	V-016-01BA	Thickness=0.7mm	25mm opening
	V-016-01BB	Thickness=0.9mm	Any length available
	V-016-01BC	Thickness=1.0mm	Painted white

Valance parts Product Parts



VC-01 VC-01B Valance corner 1#直角连接架

VC-01A Valance corner 2#直角连接架

VC-02A Valance clip 2#支撑架



V-012-10 Connector For track 折叠连接器

V-012-11 Connector For tilt rod 连接扣

V-012-12 Length=89 Diameter=3.8mm Connector For track 固定盖片

VC03-01 PVC COVER SLAT PVC 装饰片

Trapezium hook Product Parts



V-002-18A White 白色

V-002-18B Clear 透明
Trapezium hook
H hook
For carrier
1#万向节




V-002-18C Clear 透明

Trapezium hook
H hook
For carrier
2#万向节



V-002-18D Clear 透明

Trapezium hook
H hook
For carrier
3#万向节



V-002-18E Clear 透明

Trapezium hook
H hook
For carrier
4#万向节

Bracket Product Parts



V-014-01A Plated zinc 镀锌
V-014-01B Painted white 烤漆
Wall bracket 89mm
Thickness=1.5mm
1#安装架



V-014-02A Plated zinc 镀锌
V-014-02B Painted white 烤漆
Wall bracket 127mm
Thickness=1.5mm
2#安装架



V-014-03A Plated zinc 镀锌
V-014-03B Painted white 烤漆
Wall bracket
Thickness=1.5mm
3#安装架



V-014-10A Plated zinc 镀锌
V-014-10B Painted white 烤漆
Wall bracket 89mm
Thickness=2.0mm
10#安装架



V-014-11A Plated zinc 镀锌
V-014-11B Painted white 烤漆
Wall bracket 127mm
Thickness=2.0mm
11#安装架



V-014-12A Plated zinc 镀锌
Wall bracket 89mm
With ceiling clip
Thickness=2.0mm
12#安装架



V-014-04A Plated zinc 镀锌
V-014-04B Painted white 烤漆
Wall bracket 89mm
Thickness=1.8mm
4#安装架



V-014-04E Plated zinc 镀锌
V-014-04F Painted white 烤漆
Wall bracket 89mm
Thickness=1.8mm
89蛇形安装架



V-014-05A Plated zinc 镀锌
V-014-05B Painted white 烤漆
Wall bracket 127mm
Thickness=1.8mm
5#安装架



V-014-13A Plated zinc 镀锌
Wall bracket 89mm
With ceiling clip
Thickness=2.0mm
13#安装架



V-014-14A Plated zinc 镀锌
V-014-14B Painted white 烤漆
Wall bracket
Thickness=1.5mm
14#安装架



V-014-23A Plated zinc 镀锌
V-014-23B Painted white 烤漆
Wall bracket
Thickness=1.5mm
23#安装架



V-014-05E Plated zinc 镀锌
V-014-05F Painted white 烤漆
Wall bracket 127mm
Thickness=1.8mm
127蛇形安装架




V-014-08A Plated zinc 镀锌
V-014-08B Painted white 烤漆
Wall bracket 89mm
Thickness=1.5mm
8#安装架



V-014-09A Plated zinc 镀锌
V-014-09B Painted white 烤漆
Wall bracket 127mm
Thickness=1.5mm
9#安装架




V-014-28A Plated zinc 镀锌
V-014-28B Painted white 烤漆
Wall bracket
Thickness=1.5mm
28#安装架




V-014-34 Plated zinc 镀锌
Painted white 烤漆
Wall bracket
34#安装架

Bracket Product Parts




V-016-02

Wall bracket
2#安装码




V-016-03 Length=89

Wall bracket
3#安装码




V-016-04

Wall bracket
4#安装码




V-016-05

Wall bracket
5#安装码




V-016-06

Wall bracket
6#安装码




V-016-10

Wall bracket
10#安装码




V-016-11

Wall bracket
11#安装码




V-016-12

Wall bracket
12#安装码




V-016-13

Wall bracket
13#安装码




V-016-14

Wall bracket
14#安装码




V-016-15

Wall bracket
15#安装码




V-016-16

Wall bracket
16#安装码




V-016-17

Wall bracket
17#安装码




V-016-18

Wall bracket
18#安装码




V-016-24

Wall bracket
24#安装码




V-016-26

Wall bracket
26#安装码



V-016-27

















Wall bracket
27#安装码



V-016-39

Wall bracket
39#安装码

Ceiling clip Product Parts

 V-015-01A Plated zinc 镀锌 V-015-01B Painted white 烤漆 Ceiling clip Thickness=0.6mm 1#卡簧	 V-015-02A Plated zinc 镀锌 V-015-02B Painted white 烤漆 Ceiling clip Thickness=0.6mm 2#卡簧	 V-015-03A Plated zinc 镀锌 V-015-03B Painted white 烤漆 Ceiling clip Thickness=0.5mm 3#卡簧	 V-015-15 Plated zinc 镀锌 Painted white 烤漆 Ceiling clip Thickness=0.6mm 15#卡簧	 V-015-16 Plated zinc 镀锌 Painted white 烤漆 Ceiling clip Thickness=0.5mm 16#卡簧	 V-015-17 Plated zinc 镀锌 Painted white 烤漆 Ceiling clip Thickness=0.6mm 17#卡簧
 V-015-04A Plated zinc 镀锌 V-015-04B Painted white 烤漆 Ceiling clip Thickness=0.6mm 4#卡簧	 V-015-06A Plated zinc 镀锌 V-015-06B Painted white 烤漆 Ceiling clip Thickness=0.6mm 6#卡簧	 HV25 Plated zinc 镀锌 HV25-1 Painted white 烤漆 Ceiling clip Thickness=0.6mm 7#卡簧	 V-015-18 Plated zinc 镀锌 Painted white 烤漆 Ceiling clip Thickness=0.6mm 18#卡簧	 V-015-19 Plated zinc 镀锌 Painted white 烤漆 Ceiling clip Thickness=0.6mm 19#卡簧	 V-015-20A Plated zinc 镀锌 V-015-20B Painted white 烤漆 Ceiling clip Thickness=0.6mm 20#卡簧 (新)
 V-015-08A Plated zinc 镀锌 V-015-08B Painted white 烤漆 Ceiling clip Thickness=0.6mm 8#卡簧	 V-015-09A Plated zinc 镀锌 V-015-09B Painted white 烤漆 Ceiling clip Thickness=0.6mm 9#卡簧	 V-015-10A Plated zinc 镀锌 V-015-10B Painted white 烤漆 Ceiling clip Thickness=0.6mm 10#卡簧	 V-015-21 Plated zinc 镀锌 Painted white 烤漆 Ceiling clip Thickness=0.6mm 14#卡簧	 V-015-22 Plated zinc 镀锌 Painted white 烤漆 Ceiling clip Thickness=0.6mm 22#卡簧	 V-015-23 Plated zinc 镀锌 Painted white 烤漆 Ceiling clip Thickness=0.6mm 23#卡簧